

MPRI – cours 2.12.2

In order of apparition:

F. Morain, E. Thomé, B. Smith

morain@lix.polytechnique.fr


<http://www.lix.polytechnique.fr/Labo/...>
.../Francois.Morain/MPRI/2011

Schedule: 16 × 1.5 hour lectures (1/2)

| When | Who | What |
|-------|-----------------|--|
| 17/09 | François Morain | Groups in crypto (I): Z/NZ, finite fields |
| 24/09 | François Morain | Groups in crypto (II): elliptic curves |
| 01/10 | François Morain | Composition, primality |
| 08/10 | François Morain | TD |
| 15/10 | François Morain | Discrete logarithm |
| 22/10 | François Morain | Integer factorization: elementary algorithms |
| 29/10 | François Morain | TD |
| 05/11 | Emmanuel Thomé | Factorization (II) |
| 12/11 | Emmanuel Thomé | Factorization (III) |
| 19/11 | Emmanuel Thomé | Sparse linear algebra |
| 26/11 | mid-term exam | **??? 14:00-15:30** |

Life after MPRI (2.12.2)

A lot of students attended this course over the years:



A lot did a PhD: see next slide.

After their PhD + postdoc:

- Academic careers: University, CNRS, INRIA.
- Governmental agencies.
- Other paths.

A short list of recent PhD/students

LIX:

- R. Dupont (*Moyenne arithmético-géométrique, suites de Borchardt et applications*, 2006);
- J.-F. Biasse (*Subexponential algorithms for number fields*, defense 20/09/10);
- L. De Feo (*Fast algorithms for towers of finite fields and isogenies*, defense 12/10).

LORIA:

- D. Stehlé (*Algorithmique de la réduction de réseaux et application à la recherche de pires cas pour l'arrondi de fonctions mathématiques*, 2005);
- L. Fousse (*Intégration numérique avec erreur bornée en précision arbitraire*, 2006);
- D. Robert (*Theta functions and applications in cryptography*, defense 21/07/10);
- G. Bisson (*ring of endomorphisms*, defense 2011);
- R. Cosset (*theta functions*, defense 2011).

Internships


II. Overview of the lectures

Goals

2.12.2
2.13.1
2.13.2

2.12.1

2.30



Cryptographic motivations: two algorithms

A) Diffie-Hellman

Public parameters: p prime number, g generator of \mathbb{F}_p^* .

Protocol:

$$A \xrightarrow{g^a \bmod p} B$$

$$A \xleftarrow{g^b \bmod p} B$$

$$A : K_{AB} = (g^b)^a \equiv g^{ab} \bmod p$$

$$B : K_{BA} = (g^a)^b \equiv g^{ab} \bmod p$$

DH problem: given (p, g, g^a, g^b) , compute g^{ab} .

DL problem: given (p, g, g^a) , find a .

Thm. DL \Rightarrow DH; converse true for a large class of groups (Maurer & Wolf).

\Rightarrow Goal for us: find a good resistant group.

The difficulty of discrete logarithm computations

Over finite fields:

- \mathbb{F}_p :

- ▶ Best algorithm so far: à la NFS $O(L_p[1/3, c'])$ (Gordon, Schirokauer).
- ▶ record with 160dd: T. Kleinjung (2007); 3.3 years of PC 3.2 GHz Xeon64; matrix 2, 177, 226 \times 2, 177, 026 with 289, 976, 350 non-zero coefficients, inverted in 14 years CPU.

- \mathbb{F}_{p^n} : Adleman-DeMarrais, function field sieve + optimizations.

- ▶ $p = 2$: Coppersmith; record with $\mathbb{F}_{2^{613}}$: Joux/Lercier (2005).
- ▶ record $\mathbb{F}_{3^{6 \times 71}}$: Hayashi et al. (2010), <http://eprint.iacr.org/2010/090>.
- ▶ Medium p case: Joux+Lercier.

$$L_N[\alpha, c] = \exp((c + o(1))(\log N)^\alpha (\log \log N)^{1-\alpha}).$$

ECDLP

ECC112b: taken from

<http://lacal.epfl.ch/page81774.html>,

Bos/Kaihara/Kleinjung/Lenstra/Montgomery (EPFL/Alcatel-Lucent Bell Laboratories/MSR)

$p = (2^{128} - 3)/(11 \cdot 6949)$, curve secp112r1

- 3.5 months on 200 PS3; 8.5×10^{16} ec additions (\approx 14 full 56-bit DES key searches); started on January 13, 2009, and finished on July 8, 2009.
- half a billion distinguished points using 0.6 Terabyte of disk space.




FIGURE: (Log of) Security vs. bit size of key (exponential, $L(1/2)$, $L(1/3)$)

$$L_x[\alpha, c] = \exp((c + o(1))(\log x)^\alpha (\log \log x)^{1-\alpha}).$$

B) RSA

Key generation: Alice chooses two primes p and q , $p \neq q$, $N = pq$, e s.t. $\gcd(e, \lambda(N)) = 1$, $d \equiv 1/e \pmod{\lambda(N)}$.

Public key: (N, e) .

Private key: d (or (p, q)).

Encryption: Bob recovers the authenticated public key of Alice; sends $y = x^e \pmod{N}$.

Decryption: Alice computes $y^d \pmod{N} \equiv x \pmod{N}$.

Rem. of course, in real life, more has to be done, but this has already been told somewhere else.

⇒ **Goal for us:** what size should N have, in order not to be factored?

Rules of the game

$$N = \prod_{i=1}^k p_i^{\alpha_i}.$$

- What do we do in practice? Which size is doable?

Factorization : number field sieve

$O(\exp(c(\log N)^{1/3}(\log \log N)^{2/3}))$; **768 bits** (a lot of people, 2010).

Primality: hopefully without too much factoring, past some easy trial division; **25,000 decimal digits**.


- Complexity question: to which **class** does **isPrime?** belong?

Best : **P** (e.g., integer multiplication).

At least : **RP**.

And: what about a proof?

Complexity classes



How difficult is factoring?

