

Citations about Gödel's Theorems

Leo Liberti

8/2/99

Abstract

This is a short account of various notes and opinions about Gödel's theorems I found in my books. It should ease the task of actually writing something about Gödel's First Incompleteness Theorem.

Citations about Gödel's Theorems

1 Introduction

The idea for this short account was born when I stumbled upon an apparent “contradiction in terms”, or syntactical contradiction, while reading Gödel’s First Incompleteness Theorem. This is *not* to say that I found the contradiction *in* Gödel’s proof. Rather, while trying to reconstruct the proof to see if I had correctly understood it, I followed a train of thought that brought me to construct a reasoning which had to be correct for Gödel’s proof to work, but was apparently faulty. I was sure I had made a mistake somewhere, and of course I had. Nonetheless I think my understanding of Gödel’s theorem is better now than it was before, and this is part of the reason of this *mémoire*.

On the other hand, as I wrote in the abstract, this is also a neat way for me to collect in one single place all those quotes and citations by Gödel and about Gödel that I would otherwise have to hunt about in my ever-chaotic shelves.

2 Gödel’s opinion

I understand sources are a good point to start from. The following excerpts come from [Sha91], which is an anthology of writings by and about Gödel. In particular I am quoting from *Kurt Gödel, Over formally undecidable propositions of Principia Mathematica and other similar systems*, which is the original article that Gödel wrote about undecidability of self-referential propositions.

The goal Gödel aims at is to prove that the theories described in Russell and Whitehead’s *Principia Mathematica*, in Zermelo and Fränkel’s ZF system and generally all in formal systems that embed the natural numbers and are consistent (that is, the system doesn’t prove any contradiction) are incomplete. A precise definition of “incompleteness”, that can be expressed *inside* the theory, is the following.

2.1 Definition

The theory T is incomplete if and only if there exists a sentence ϕ in T such that T does not prove ϕ and T does not prove $\neg\phi$.

This definition is sound only as long as the concepts of “theory”, “proof” and “existence of a sentence in a theory” are precisely defined. I shall postpone the discussion of those definitions to another paper.

Before quoting Gödel’s proof let me add that the source of my confusion when I first read the proof stems from defn. (2.1). I had read [Hof80] many years before, and I had

formed the opinion that a theory is incomplete if it can express a true statement but cannot prove it. In fact, this is expressed on the very last page of part I of [Hof80].

2.2 Definition

A theory T is incomplete if and only if there exists a ϕ in T such that ϕ is true and T does not prove ϕ .

As we shall see, (2.1) implies (2.2), even though they exist in different contexts. In the first there is no reference whatsoever to the concept of “truth”, while it is present in the second. Hence, the first can be expressed and used *in* the theory, whilst the second needs to be “seen” from outside the theory, and thus can lead to confusion if it is applied without careful thought.

2.3 Proposition

Definition (2.1) implies (2.2).

Proof. Suppose we find ϕ in T such that $T \not\vdash \phi$ and $T \not\vdash \neg\phi$. By dichotomy, exactly one of ϕ and $\neg\phi$ must be true. Hence there is a true sentence that T cannot prove. \square

If one assumes that “a contradiction” and “a false sentence” are the same thing, it is also possible to show the full equivalence of the two definitions, for let ϕ be true and unprovable, then $\neg\phi$ is false. Since T is consistent, T can’t prove $\neg\phi$, *qualis erat demonstrandum*. This is an important point. A “contradiction” is something that can be expressed *inside* T (as in $1 = 0$), whilst the concept of “falseness”, like that of “truth”, involves an interpretation of the symbols, and may not necessarily be expressed in T .

The proof that PM is incomplete, as given by Gödel, extends for the whole of his article, which is lengthy, so I will quote the unrigorous description of the proof found in the first pages of his article.

2.4 Theorem (Gödel’s proof of incompleteness of PM)

Formulae of a formal system (take PM) are finite sequences of primitive symbols (variables, constants, brackets or separation signs), and it is easy to define rigorously which sentences are valid and which aren’t. Similarly proofs are finite sequences of formulae. From a metamathematical point of view the choice of the symbols to be used is irrelevant, so we shall take the natural numbers. Consequently, a formula is a finite sequence of natural numbers, and a formal proof is a finite sequence of finite sequences of natural numbers. [. . .] One can show that PM can express the concepts of “formula”, “formal proof” and “provable sentence”. In particular it is possible to find a formula $F(v)$ in PM (with exactly one free variable v) which, when interpreted with the meaning of the terms in PM, asserts: “ v is a provable sentence”. This allows us to construct an undecidable proposition in PM, that is, a sentence A for which neither A nor $\neg A$ are provable from PM.

Proof. Suppose we have ordered all formulae of PM with exactly one free variable in a sequence $R(n)$. We observe in passing that both concepts “formula with exactly one free variable” and the well-ordering R can be defined in PM. We shall express with $[R(n), m]$

the sentence obtained when substituting m in the free variable of the formula $R(n)$. $[R(n), m]$ can also be expressed in PM. We now define a class K such that

$$\forall n \in \mathbb{N}(n \in K \leftrightarrow \neg \text{Prv}([R(n), n])) \quad (1)$$

where $\text{Prv}(\phi)$ means: ϕ is a provable sentence. Since everything we have written can be expressed in PM, so can K ; in other words, there exists a formula with exactly one free variable S such that $[S, n]$, when interpreted with the meaning of the terms of PM, says “ $n \in K$ ”. Since S has exactly one free variable, there must be a natural number q such that $S = R(q)$. Let ϕ be the sentence $[R(q), q]$, and we show that ϕ is undecidable in PM.

1. Suppose that ϕ is provable: then ϕ should be true. In this case $q \in K$ by definition of $R(q)$, and hence $\neg \text{Prv}(\phi)$ by definition of K . Contradiction.
2. Suppose that $\neg \phi$ is provable: then $\neg \phi$ should be true, hence $q \notin K$ and $\text{Prv}(\phi)$. That is, both ϕ and $\neg \phi$ are provable, which is impossible because PM is consistent¹.

Hence we must conclude that ϕ is undecidable in PM, that is, PM is incomplete (as defined in (2.1)). □

It is not quite correct to say that this is a “proof”. As Gödel himself puts it, this is the idea of the proof. The proof goes on at length to show that all of the concepts used in the reasoning can in fact be expressed in the terms of PM. Nonetheless, the basic idea contained in the proof is to employ a sentence ϕ that says: “ ϕ cannot be proved”.

3 Hofstadter’s Opinion

If one stops for a moment to think, it is evident that instead of the points 1. and 2. in the proof of theorem (2.4), one could have argued in the following way.

3.1 Theorem

PM is incomplete.

Proof. Let ϕ stand, as above, for $[R(q), q]$. Suppose $\text{Prv}(\phi)$. Then $q \in K$ and hence $\neg \text{Prv}(\phi)$, contradiction. Now, instead of saying “suppose then $\text{Prv}(\neg \phi)$ ”, we use the dichotomy of every logical assertion (in this case $\text{Prv}(\phi)$). Since we have proved that assuming $\text{Prv}(\phi)$ leads to a contradiction, we must conclude that the only possible way out is $\neg \text{Prv}(\phi)$, that is, that ϕ is *not* provable. We now interpret ϕ and we notice that it says: “ ϕ is not provable”. Since we have just proved that ϕ is not provable, we must infer that ϕ is true. Hence we have found a sentence (namely ϕ), for which we have proved that:

¹I.e. no contradiction can be proved from PM.

1. ϕ is not provable
2. ϕ is true

Consequently we have shown that PM is incomplete (as defined in (2.2)). □

So, summing up, we have this situation.

We have proved ϕ cannot be proved to be true. Then we have proved that ϕ is true.

This is a contradiction in terms. This does not work. This is the whole thing blowing up and then falling apart! This has been my Big Doubt. I don't think anyone can object to the proof given in (3.1), but there must be a mistake somewhere. I first thought the mistake was in the proof, but couldn't find it, and then I stumbled upon the following passage from [Hof80]:

TNT² incorporates valid methods of reasoning, and therefore TNT never has falsities for theorems. In other words, anything which is a theorem of TNT expresses a truth. So if³ G were a theorem, it would express a truth, namely “ G is not a theorem”. [...] By being a theorem, G would have to be a falsity. Relying on our assumption that TNT never has falsities for theorems, we'd be forced to conclude that *G is not a theorem*. This is all right; it leaves us, however, with a lesser problem. Knowing that G is not a theorem, we'd have to concede that G expresses a truth. [...] We have found a string which expresses a true statement yet the string is not a theorem.

Lord knows, one tries to be humble, and so do I (people who love me say otherwise): I don't doubt *Gödel, Escher and Bach* by Hofstadter. There is no mistake in the proof given above. The mistake resides in the phrase in italics:

We have proved ϕ cannot be proved to be true. Then we have proved that ϕ is true.

It is true that we have proved ϕ cannot be proved to be true. But we have *not* proved, at least not *inside* PM, that ϕ is true. We have *interpreted* the meaning of ϕ in order to decide that it is true, we haven't employed any mechanically logical method. I must thank my friend Fabio Roda, a distinguished philosopher who thinks self-reference is at least as important as a neural network to describe the human brain, for the solution of my doubt, which is expressed in [Rod99]:

Gödel doesn't prove that ϕ is unprovable and true . . . You have never “written down on paper” the proof that ϕ is true.

I must admit that before disturbing Prof. Roda I should have read [Hof80] a bit more thoroughly, for he says exactly the same thing.

²By TNT Hofstadter means a system which is equivalent to the Peano Arithmetics.

³ G is the Hofstadter's construction of the self-referential sentence $[R(q), q]$.

A string of TNT has been found; it expresses, unambiguously, a statement about certain arithmetical properties of natural numbers; moreover, by reasoning outside the system we can determine not only that the statement is a true one, but also that the string fails to be a theorem of TNT.

The phrase “by reasoning outside the system” is crucial. Strangely enough, we should only speak about truth when we interpret sentences, not when we use mechanical rules of derivation. In the latter case, we should talk about “provability”. When the proof of a theorem is expressed inside the theory then that theorem is *provable*. As it turns out, there is a better definition of “truth” than that of interpreting a phrase, but it seems to be less general than the concept of truth every human being possesses. It is possible to define truth inside a system by posing limitations to the truth. A sentence might be true inside a certain model and false inside another model, even while using the same language and the same axioms! Professor Andretta, in [And99], speaks about Gödel’s theorem and concludes:

Note that I have NEVER used the word “true” but only “provable”. The two concepts are different. In order to speak about “true” I have to consider a model inside which to work. This assumes a certain quantity of set theory. ω is a model⁴ for PA⁵ but it is not the only one. There are non-standard models of PA, some of which satisfy “PA + PA is ω -inconsistent⁶”, and other curiosities.

References

- [And99] Alessandro Andretta. Private communication, February 1999.
- [Hof80] Douglas R. Hofstadter. *Gödel, Escher, Bach: An Eternal Golden Braid*. Penguin, London, 1980.
- [Rod99] Fabio Roda. Private communication, February 1999.
- [Sha91] Stewart G. Shanker. *Il Teorema di Gödel*. Franco Muzzio Editore, Padova, 1991.

⁴ ω is the same as $\mathbb{N} + \{0\}$.

⁵Peano Arithmetics.

⁶A system T is ω -inconsistent if there is a formula $\psi(n)$ such that, for any fixed n , T proves $\psi(n)$ but T can’t prove the sentence $\forall n\psi(n)$.