

SEQUENCING A SINGLE MACHINE WITH DUE DATES AND DEADLINES: AN ILP-BASED APPROACH TO SOLVE VERY LARGE INSTANCES

PH. BAPTISTE, F. DELLA CROCE, A. GROSSO, AND V. T'KINDT

ABSTRACT. We consider the problem of minimizing the weighted number of tardy jobs on a single machine where each job is also subject to a deadline that cannot be violated. We propose an exact method based on a compact integer linear programming formulation of the problem and an effective reduction procedure, that allows to solve to optimality instances with up to 30,000 jobs in size and up to 50,000 jobs in size for the special deadline-free case.

keywords: Sequencing and scheduling; Single Machine; Tardy Jobs, Deadlines.

1. INTRODUCTION

This paper deals with the problem of minimizing the weighted number of tardy jobs on a single machine when both due dates and deadlines are specified for jobs. In the classical three-fields notation [1] the problem is denoted $1|\bar{d}_i|\sum w_i U_i$: a job set $N = \{1, 2, \dots, n\}$ is given, with weights, processing times, due dates and deadlines w_i, p_i, d_i and \bar{d}_i respectively, for all $i \in N$. The goal is to find a sequence σ^* such that $C_i \leq \bar{d}_i$ for all the job completion times $C_i, i \in N$, and $F(\sigma^*) = \sum \{w_i : C_i > d_i\}$ is minimum — or equivalently, $f(\sigma^*) = \sum \{w_i : C_i \leq d_i\}$ is maximum. The jobs are executed without idle time or preemption, and all of them are available from time 0 on. We also make the common assumption $d_i \leq \bar{d}_i$ for all $i \in N$.

From a complexity point of view, the $1|\bar{d}_i|\sum w_i U_i$ problem is known to be NP-hard even if $w_i = 1$, for all $i \in N$ [2], or if there are no deadlines [3], but it is still unclear whether it is NP-hard in the strong or in the ordinary sense. On the other hand, the basic $1||\sum U_i$ problem is well known to be polynomially solvable by Moore's algorithm [5]. If release dates are present, the $1|r_i|\sum U_i$ problem is already NP-hard in the strong sense [6]. Very little work has appeared in literature for the $1|\bar{d}_i|\sum w_i U_i$ problem, a state-of-the-art exact algorithm being a branch and bound presented in [8] able to solve instances with up to 300 jobs.

A richer literature is available for the deadline-free variant: Potts and Van Wassenhove [7] gave a branch and bound algorithm for solving instances with up to 1,000 jobs, while M'Hallah and Bulfin [10] propose an exact algorithm capable of handling instances with up to 2,500 jobs. Several papers are also available for the variants with release dates (see [11, 12, 13]). However, the presence of release dates completely changes the structure of the problem.

Notice that the considered model is of interest not only to the scheduling community but also to the wider OR community as it generalizes the $1|d_i = d|\sum w_i U_i$ problem that corresponds to the well known 0/1 Knapsack problem.

We note that most of the works on this scheduling problem explicitly avoid to manage the LP relaxation by standard LP tools: in [7] an ILP model is presented, but a specific dynamic programming algorithm is used for solving the relaxation; in [8] no LP is used, the bound being obtained by dynamic programming and state-space relaxation; even in more recent papers like [10] a Lagrangian approach is used, and the simplex method is avoided.

In this paper we present a compact integer linear programming formulation and, explicitly relying on an LP/ILP solver with minimum additional procedures, we design a simple exact algorithm for the $1|\bar{d}_i|\sum w_i U_i$ problem. The algorithm, tested on randomly generated instances as proposed by Hariri and Potts [8], is able to solve to optimality all randomly generated instances with up to 30,000 jobs (within 275 seconds on average) for the $1|\bar{d}_i|\sum w_i U_i$ problem and up to 50,000 jobs (within 316 seconds on average) for the special deadline-free case $1|\sum w_i U_i$. Accordingly with the existing literature — particularly with [7] for the deadline-free case — we further study the performance of the algorithm on considerably harder random instances with *correlated* data; the proposed algorithm suffers a limited performance degradation for so-called weakly correlated instances, still being able to solve a whole 10,000 jobs batch within 191 seconds on average. Other instances with *strongly* correlated data are apparently the hardest ones, and probably a different approach is needed to efficiently handle such instances for large n .

2. ILP MODEL AND PROBLEM REDUCTION

2.1. Basic properties and model. We first recall that a feasible solution for $1|\bar{d}_i|\sum w_i U_i$ is immediately defined by selecting an *early set* of jobs $E \subseteq N$ required to be early: each job $i \in N$, is then required to be completed within a maximum completion time

$$D_i = \begin{cases} d_i & \text{if } i \in E, \\ \bar{d}_i & \text{if } i \in N \setminus E. \end{cases}$$

A feasible sequence with early set E is a sequence where $C_i \leq D_i$ for all $i \in N$. We recall that such feasible sequences exist iff the particular sequence where the jobs appear in nondecreasing order of D_i is feasible.

Define $B_t = \{i \in N : \bar{d}_i \leq t\}$, $A_t = \{i \in N : d_i > t\}$, and let $T = (t_1, t_2, \dots, t_m)$ be the nondecreasing sequence of the relevant time points in the problem with $t \in T$ iff $t = d_i$ or $t = \bar{d}_i$ for some $i \in N$. The optimal set of early jobs can be obtained by solving the following ILP model. Define binary variables x_i , $i \in N$, such that $x_i = 1$ iff job i is early.

$$(1) \quad \text{maximize } z = \sum_{i \in N} w_i x_i$$

subject to

$$(2) \quad \sum_{i \in B_t} p_i + \sum_{i \in N \setminus (B_t \cup A_t)} p_i x_i \leq t \quad t \in T$$

$$(3) \quad x_i \in \{0, 1\}, \quad i \in N$$

With modern ILP solvers and hardware, model (1)–(3) is able to handle fairly large instances: in our experiments, all the considered examples with up to 4,000 jobs within reasonable average CPU times, although the time exceeded 1,000 seconds for the hardest instances. The failures for higher sizes were caused essentially by lack of memory — note that the number of nonzeros in the constraints (2) exhibits a $\mathcal{O}(n^2)$ growth in the worst case.

In our experience the solver can largely benefit from a problem preprocessing that is able to significantly reduce the number of jobs. Suppose a given job $j \in N$ is known to be early or tardy in an optimal solution: this defines its $D_j = d_j$ or \bar{d}_j . We define a *reduced* problem formulated on the job set $N' = N \setminus \{j\}$, with modified data

$$(4) \quad p'_i \equiv p_i, \quad w'_i \equiv w_i \quad i \in N',$$

$$(5) \quad d'_i = \begin{cases} \min \{d_i, D_j - p_j\} & \text{if } d_i \leq D_j \\ d_i - p_j & \text{if } d_i > D_j \end{cases} \quad i \in N',$$

$$(6) \quad \bar{d}'_i = \begin{cases} \min \{\bar{d}_i, D_j - p_j\} & \text{if } \bar{d}_i \leq D_j \\ \bar{d}_i - p_j & \text{if } \bar{d}_i > D_j \end{cases} \quad i \in N'.$$

The following result generalizes the *reduction theorem* presented in [7] for the deadline-free special case.

Property 1. *There exists a feasible sequence with early set E iff there exists a feasible sequence with early set $E' = E \setminus \{j\}$ for the reduced problem.*

Proof. Recall that E (respectively E') defines maximum completion dates $D_i = d_i$ or \bar{d}_i (resp. $D'_i = d'_i$ or \bar{d}'_i) for all jobs $i \in N$ (resp. $i \in N'$).

In the following, let C_1, \dots, C_n and C'_1, \dots, C'_n be the completion times of the jobs in the feasible sequence for the original and reduced problem respectively.

(\implies) Let $\sigma j \omega$ be a feasible sequence and, without loss of generality, assume $D_i \leq D_j < D_k$, for all $i \in \sigma, k \in \omega$. We prove that $\sigma \omega$ is feasible for the reduced problem.

If $i \in \sigma$, $C_i \leq D_i$ for feasibility. Also, since i precedes j and $C_j \leq D_j$, $C_i \leq C_j - p_j \leq D_j - p_j$. Hence $C'_i = C_i \leq \min \{D_i, D_j - p_j\} = D'_i$. If $k \in \omega$, $C'_k = C_k - p_j \leq D_k - p_j = D'_k$.

Hence $\sigma \omega$ satisfies $C'_i \leq D'_i$ for all $i \in N'$.

(\impliedby) Let $\sigma \omega$ be a feasible sequence for the reduced problem. Without loss of generality, assume $D'_i \leq D_j - p_j < D'_k$ for all $i \in \sigma, k \in \omega$ — note this implies also $D'_k = D_k - p_j$ for all $k \in \omega$. We prove that $\sigma j \omega$ is feasible for the original problem.

For all $i \in \sigma$, $C_i = C'_i \leq D'_i \leq D_i$. For all $k \in \omega$, $C_k = C'_k + p_j \leq D'_k + p_j = D_k$.

For job j , let i be the last job of σ , and note that $C_i \leq D'_i \leq D_j - p_j$, thus $C_j = C_i + p_j \leq D_j$.

Hence $\sigma j\omega$ satisfies $C_i \leq D_i$ for all $i \in N$. \square

Property 1 allows to remove job j from consideration and solve the reduced problem only, without loss of optimality.

We iteratively identify early or tardy jobs by variable fixing techniques, removing them from the problem by means of Property 1. Components needed for such reduction procedure are a quick method for solving the LP relaxation of (1)–(3) and a heuristic solution.

2.2. Solving the LP relaxation. For the LP relaxation, instead of using the dense formulation (1)–(3) we introduce a maximum profit flow problem. Define a graph $G(N \cup T, A)$ where nodes represent jobs and time points, whereas the arc set A is defined as

$$A = A_d \cup A_{\bar{d}} \cup A_T,$$

where

$$A_d = \{(i, t_k) : i \in N, t_k \in T, t_k = d_i\},$$

$$A_{\bar{d}} = \{(i, t_k) : i \in N, t_k \in T, t_k = \bar{d}_i\},$$

$$A_T = \{(t_k, t_{k+1}) : t_k, t_{k+1} \in T, k = 1, \dots, m-1\}.$$

We formulate on G the following flow problem.

$$(7) \quad \text{maximize } z = \sum_{(i, d_i) \in A_d} \frac{w_i}{p_i} y_{i, d_i}$$

subject to

$$(8) \quad y_{i, d_i} + y_{i, \bar{d}_i} = p_i \quad i \in N$$

$$(9) \quad y_{t_1, t_2} - \sum_{(i, t_1) \in A_d \cup A_{\bar{d}}} y_{i, t_1} = 0$$

$$(10) \quad y_{t_k, t_{k+1}} - y_{t_{k-1}, t_k} - \sum_{(i, t_k) \in A_d \cup A_{\bar{d}}} y_{i, t_k} = 0 \quad k = 2, \dots, m-1$$

$$(11) \quad -y_{t_{m-1}, t_m} - \sum_{(i, t_m) \in A_d \cup A_{\bar{d}}} y_{i, t_m} = -\sum_{i \in N} p_i$$

$$(12) \quad y_{t_k, t_{k+1}} \leq t_k \quad (t_k, t_{k+1}) \in A_T$$


$$(13) \quad y_{ij} \geq 0, (i, j) \in A, \quad k = 1, \dots, m-1.$$

The shape of G is sketched in Figure 1. Constraints (8)–(11) are flow balance constraints and constraints (12) are capacity constraints. Nodes $i \in N$ are sources injecting p_i units of flow each in the network, node t_m is the unique sink of the network, and the problem is balanced. All arcs have zero cost except the arcs $(i, d_i) \in A_d$ having cost $\frac{w_i}{p_i}$. All arcs have infinite capacity except the arcs $(t_k, t_{k+1}) \in A_T$ that have finite capacities t_k .

Property 2. $(y_{ij} : (i, j) \in A)$ is a feasible flow of value z for (7)–(13) iff

$$x_i = \frac{y_{i, d_i}}{p_i} \quad (i \in N)$$

is a feasible solution of value z for the LP relaxation of (1)–(3).

FIGURE 1. Graph $G(N \cup T, A)$ for a four-jobs example.

Proof. In any feasible flow on G , the ingoing flow in any node $t_k \in T$ is, by flow conservation:

$$\begin{aligned}
 y_{t_k, t_{k+1}} &= \sum_{i: \bar{d}_i \leq t_k} y_{i, \bar{d}_i} + \sum_{i: d_i \leq t_k} y_{i, d_i} = \sum_{i: \bar{d}_i \leq t_k} (y_{i, \bar{d}_i} + y_{i, d_i}) + \sum_{i: d_i \leq t_k, \bar{d}_i > t_k} y_{i, d_i} \\
 &= \sum_{i \in B_{t_k}} p_i + \sum_{N \setminus (B_{t_k} \cup A_{t_k})} y_{i, d_i} = \sum_{i \in B_{t_k}} p_i + \sum_{N \setminus (B_{t_k} \cup A_{t_k})} p_i x_i.
 \end{aligned}$$

The capacity constraints $y_{t_k, t_{k+1}} \leq t_k$ and the sink balance correspond one-to-one to constraints (2).

For the objective function, we have $z = \sum_{(i, d_i) \in A_1} \frac{w_i}{p_i} y_{i, d_i} = \sum_{i \in N} w_i x_i$. \square

Property 2 establishes the equivalence between model (7)–(13) and the LP relaxation of (1)–(3). In our experiments we kept solving the flow model (7)–(13) that requires $\mathcal{O}(n)$ space instead of $\mathcal{O}(n^2)$, thus overcoming the memory problems experienced with formulation (1)–(3) on large instances. For example, on a 4000-job instance with over 13 millions nonzeros for model (1)–(3), the flow model requires only 42548 nonzeros.

2.3. Heuristic solution and core problem. Once the LP relaxation is solved, we need to determine a heuristic solution of (1)–(3). Preliminary testing with a constructive procedure (first an initial solution having as early all the jobs corresponding to variables having value 1 in the lower bound solution is generated and then all the other jobs are tested one at a time for inclusion in the early set according to a greedy rule) did not reach satisfactory results. Notice that in all tests most of the variables present an integer value in the LP relaxation solution. Based on this consideration, we propose here a heuristic solution corresponding to the optimal solution of model (1)–(3) applied to a *core problem*.

To this extent we introduce the following dominance property.

Property 3. Let $p_i \leq p_j, d_i \geq d_j, \bar{d}_i \leq \bar{d}_j$ and $w_i \geq w_j$ with at least one strict inequality. Then:

- if i is tardy also j must be tardy
- if j is early also i must be early.

Proof. By interchange argument. Suppose by contradiction an optimal sequence $S = \sigma j \pi i \rho$ with j early preceding i tardy exists where σ, π and ρ are possibly empty subsequences of jobs. We show that sequence $S' = \sigma i \pi j \rho$ has cost function value $f(S') \leq f(S)$ and is feasible. For the feasibility, as $p_j \geq p_i$ we have that job j and all jobs in σ and π complete not later in S' than in S . Further all jobs in ρ keep the same completion time they have in S . Hence, all these jobs do not violate their deadline in S' as in S . Finally job j completes in S' at time $C_j(S') = C_i(S)$. But then we have $C_j(S') = C_i(S) \leq \bar{d}_i \leq \bar{d}_j$, namely job j completion time does not violate the deadline \bar{d}_j . For the optimality, the cost function value contribution of the jobs in σ and ρ for S' is lower than or equal to the corresponding cost function value contribution in S as they all do not increase their completion times. With respect to the cost function value contribution of jobs i and j , it is equal to w_i in S as job i is tardy and job j is early, while it reduces to at most w_j (assuming j tardy) as we have $C_i(S') \leq C_j(S) \leq d_j \leq d_i$, namely job i is early in S' . \square

Let $X^* = [x_1^*, \dots, x_n^*]$ be the optimal solution of the linear programming continuous relaxation of the problem. The core problem is determined by selecting

- all variables presenting non integer value in X^* ,
- all variables x_j set to 0 in X^* and that are non dominated according to Property 3 by any other variable x_i set to 0 in X^* ,
- all variables x_j set to 1 in X^* and that are dominated according to Property 3 by every other variable x_i set to 1 in X^* ,

that is by means of the following procedure:

CoreProblem(x_1^*, \dots, x_n^* : solution of LP relaxation)

- 1: Let $C := \emptyset$;
- 2: **for all** $j \in N$ **do**
- 3: **if** $(0 < x_j^* < 1)$
 - or** $(x_j^* = 0$ and $\nexists i : x_i^* = 0$ dominating j according to Property 3)
 - or** $(x_j^* = 1$ and $\nexists i : x_i^* = 1$ dominated by j according to Property 3)**then**
- 4: $C := C \cup j$;
- 5: **else**
- 6: Set j early if $x_j^* = 1$ and set j tardy if $x_j^* = 0$;
- 7: **end if**
- 8: **end for**
- 9: **return** C .

A first heuristic solution is then obtained by applying model (1)–(3) to the core jobset C . The size of C has in all tests been always less than 5% of the original problem size and this core problem is therefore solvable to optimality in very short time by the ILP solver. In order to further improve the quality of the heuristic solution, we perform then a local search phase that uses the optimal solution of the core problem as initial solution. Two feasible solutions $(\bar{x}_1, \dots, \bar{x}_n)$ and $(\tilde{x}_1, \dots, \tilde{x}_n)$ are neighbours if $\sum_{i \in N} |\bar{x}_i - \tilde{x}_i| = 2$, i.e. a job tardy and a job early are swapped. The corresponding

neighbourhood can be generated and evaluated in $\mathcal{O}(n^3)$ time, and a best-improve exploration is adopted. Once again, to save time, a job j tardy (early) is swapped iff $\exists i : x_i^* = 0$ ($x_i^* = 1$) dominating j (dominated by j) according to Property 3. In this way, in practice, always much less than 1% of the neighborhood is explored. Let denote by \bar{z} the solution value provided by the local search phase.

2.4. Fixing jobs. Job fixing is performed by applying variable-fixing techniques from Integer Linear Programming. Given an optimal basis B^* for (1)–(3), let

$$\begin{aligned} z &= z^* + \sum_{x_i \notin B^*} \bar{c}_i x_i \\ x_j &= x_j^* + \sum_{x_i \notin B^*} \alpha_{ji} x_i \quad (x_j \in B^*) \\ x_i &\geq 0, \quad i \in N \end{aligned}$$

be the corresponding reformulation with \bar{c}_i being the reduced cost of variable x_i and α_{ji} being the updated coefficient of variable x_i in the constraint related to the in-base variable x_j . We apply the following fixing rules.

For nonbasic variables:

- (R1) fix $x_i = 0$ (job i tardy) if $\bar{c}_i < 0$ and $z^* + \bar{c}_i \leq \bar{z}$,
- (R2) fix $x_i = 1$ (job i early) if $\bar{c}_i > 0$ and $z^* - \bar{c}_i \leq \bar{z}$.

For basic variables $x_j \in B^*$, we compute the branching penalties u_j, l_j for branching at $x_j = 1$ and at $x_j = 0$ respectively (often indicated as *pseudo-costs* — see, for instance, [14]):

$$(14) \quad u_j = (x_j^* - 1) \min \left\{ -\frac{\bar{c}_i}{\alpha_{ji}} : x_i \notin B^*, \bar{c}_i \alpha_{ji} \leq 0, \alpha_{ji} \neq 0 \right\};$$

$$(15) \quad l_j = -x_j^* \min \left\{ \frac{\bar{c}_i}{\alpha_{ji}} : x_i \notin B^*, \bar{c}_i \alpha_{ji} \geq 0, \alpha_{ji} \neq 0 \right\};$$

then we apply

- (R3) fix $x_j = 0$ if $z^* + u_j \leq \bar{z}$,
- (R4) fix $x_j = 1$ if $z^* + l_j \leq \bar{z}$.

Although sometimes overlooked in textbooks, this technique is known in integer programming as well as in constraint programming (see [9, 15] for an application to scheduling problems). Also, note that u_j, l_j are easily computed on the maximum profit flow problem — computing penalties for setting $y_{j,d_j} = p_j, y_{j,d_j} = 0$.

The complete reduction procedure works as follows — fixed jobs in steps (2) and (3) below are removed by means of Property 1.

- (1) the LP relaxation is solved via model (7)–(13),
- (2) jobs are fixed if possible, by rules (R1) and (R2),
- (3) jobs are fixed if possible, by rules (R3) and (R4),
- (4) if (R3), (R4) were successful in fixing jobs, steps (1)–(3) are reiterated on the reduced problem, else the procedure stops.

3. AN EXACT ALGORITHM

The solution algorithm we considered is a depth-first branch and bound procedure relying on problem reduction and model (1)–(3). We observed that the ILP model already reaches good performances for fairly large n : the limit seems to be memory consumption, due to the quadratic growing of the constraint matrix size as n increases. We then implemented a depth-first enumeration scheme which incorporates the reduction procedure sketched in Section 2.4: at each node, the LP relaxation of model (1)–(3) is solved via the equivalent network flow model, and the reduction procedure is applied. If the reduced problem allows to build an instance of (1)–(3) with no more than $1.4 \cdot 10^7$ nonzeros, such integer program is solved directly by calling the ILP solver. Otherwise the fractional variable x_i with largest max-min pseudo-cost, namely the one with $\max_{i:0 < x_i^* < 1} \{\min\{|l_i|, |u_i|\}\}$ value, is selected and binary branching is performed by setting $x_i = 0$ (job i tardy) and $x_i = 1$ (job i early) in the descendant nodes. The resulting algorithm is quite simple, and adds a minimal machinery on top of the ILP solver. The performances of the algorithm are further enhanced by incorporating Property 3 in the branching phase.

4. COMPUTATIONAL RESULTS

4.1. Test instances. Following [8], we considered ten classes of instances structured as follows.

- The values for processing times p_1, \dots, p_n and weights w_1, \dots, w_n are integers drawn randomly from the uniform distribution $[1, 100]$. We note that in [8] the range was $[1, 10]$.
- The due dates d_1, \dots, d_n are integers drawn randomly from the uniform distribution $[Pu, Pv]$, with $P = \sum_{i \in N} p_i$. Ten pairs of values for u, v were considered: $u \in \{0.1, 0.3, 0.5, 0.7\}$, $v \in \{0.3, 0.5, 0.7, 0.9\}$, $u < v$.
- The deadlines $\bar{d}_1, \dots, \bar{d}_n$ are integers drawn for each job i from the uniform distribution $[d_i, 1.1P]$.

Unfeasible examples (that can occur but are trivially detected whenever the earliest deadline sequence violates at least one deadline) were discarded by the generation scheme. We generated 20 feasible examples for each u, v class — thus creating batches of 200 examples — with size n ranging from 1000 to 30,000.

All the testing ran on a Pentium IV PC with 3 GHz clock and 1GB memory. The ILP solver used is XPRESS-MP 18.1 by Dash Optimization.

4.2. Results. As previously remarked, model (1)–(3) already reaches fairly good performances for $n \leq 4000$ — see Table 1.

Insert Table 1 about here.

The solver did not manage to solve the whole $n = 5000$ batch because of memory problems. The enumerative algorithm was able to solve all the batches up to $n = 30000$, the worst case being a 25,000 jobs instance with distribution $u = 0.1$, $v = 0.5$ that required 3982 seconds. The results are summarized in Table 2.

Insert Table 2 about here.

The columns NODES refer to nodes of the enumeration scheme, i.e. nodes where the reduction procedure was applied, then either branch or ILP solution occurred (the related instance of (1)–(3) presented no more than $1.4 \cdot 10^7$ nonzeros). Columns $UB - GAP$ and $LB - GAP$ indicate the percentage relative deviations $\frac{UB-OPT}{OPT}$ and $\frac{OPT-LB}{OPT}$ of upper and lower bounds at the root node from the optimal solution value. For $n = 1000, 2000, 3000, 4000$, the CPU times (both average and worst-case) were drastically reduced with respect to those in Table 1. Also, we note that for n up to 9000 jobs, the enumeration scheme only needed to handle the root node.

Insert Table 3 about here.

Indeed, as indicated in Table 3 dedicated to the 30,000-job instances, the high quality of both upper and lower bounds allows already at the root node to strongly decrease the problem size by means of the reduction procedure (see the related "Red. probl. size" column). From Table 3, we evince also that the hardest distributions are those with $u = 0.1$ and $v = 0.3, 0.5$.

Additionally, we performed some tests on instances with a larger $[1, 10000]$ distribution for p_i 's and w_i 's. Apparently, the algorithm is not sensitive to such enlargement; for example, a whole batch of 10,000 jobs instances was handled within 321 seconds in the worst case (average 45), with all instances solved at the root node.

The proposed algorithm exhibits extremely good performances also when applied to the deadline-free special case $1 | \sum w_i U_i$ with the results summarized in Table 4.

Insert Table 4 about here.

For this case, the algorithm solves to optimality all instances with up to 50,000 jobs, strongly outperforming the state of the art algorithms (see [10]).

Correlated instances. In [7], also *correlated* instances (linking processing times and weights) are studied for the deadline-free problem. Such instances are likely to be harder than purely random instances; random *weakly correlated* instances are generated by drawing each w_i from the uniform distribution $[p_i, p_i + 20]$, while *strongly correlated* instances are obtained by setting $w_i = p_i + 20$ for all $i \in N$. We note that no correlated instances were considered in [8].

In Table 5 we report the computational experience with $n = 10,000$ for the weakly correlated instances of the $1 | \bar{d}_i | \sum w_i U_i$ problem; such instances are considerably harder than the uncorrelated ones, but not dramatically harder for our algorithm. With respect to the corresponding uncorrelated instances, we get a reduced problem size at the root node that is larger by a factor of approximately 2.3 (2.6 for the $u = 0.1, v = 0.3$ class). The average CPU times are inflated by a factor of 6 (but 32 for $u = 0.1, v = 0.3$). The worst figures are due to the fact that the reduction devices embedded in the algorithm are less effective with correlated data. Interestingly enough, the 10,094 seconds instance in class (0.1, 0.3) does not produce the largest 9,027 jobs reduced problem at the root. Instead it gives a smaller — but quite difficult — problem with 7,719 jobs, that is solved in 233 nodes, whereas

the 9,027 jobs reduced problem only takes 26 nodes and 867 seconds. The second-worst time in the batch is 5,254 seconds.

Insert Table 5 about here.

The strongly correlated case is by far the hardest one. Here the dominance conditions no longer hold and all reduction devices are apparently ineffective even though the gap between UB and LB remains very limited: the enumerative algorithm basically exhibits the performances of the underlying ILP solver and is just able to solve the whole $n = 100$ batch within a few seconds on average, but already with a bottleneck instance requiring 60 seconds approximately. The $n = 200$ batch with a time limit of 3600 per instance was able to complete only 174 out of the 200 considered instances. In order to assess the rationale of such behaviour, we worked on some of the unsolved instances, and came up with a family of hard examples having two due dates only and no deadlines; the (1)–(3) model for such examples is thus a particular 2-constraint knapsack problem. We provide in the appendix data for one of such examples; such example (with others of the same family) turned out to be, in our experience, extremely difficult: all the solvers we tried were not able to solve it to optimality within 60 minutes. The solvers were XPRESS-MP 18.10, CPLEX 10.11 and the 2 – KP exact algorithm MT of [4] (used by generating an equivalent instance without zeroes in the constraints matrix to meet the input assumptions of MT). This suggests that the presence of correlated processing times and weights is already sufficient enough to make our problem very hard, similarly to any (multi)knapsack-like problem with strong correlation between items sizes and profits.

5. CONCLUSIONS

We have proposed for the $1|\bar{d}_i|\sum w_i U_i$ problem an exact procedure that is able to solve to optimality very large size instances by exploiting a compact ILP formulation of the problem. As an outcome of this work, we remark that, also for scheduling problems, whenever structural properties allow to derive “good” LP/ILP formulations, then already commercial solvers standalone can handle reasonably large size instances. Moreover, adding minimal additional procedures that rely on some problem structure can greatly boost performances.

APPENDIX

We provide data for a 200-jobs 2-due dates difficult instance of $1|\sum w_i U_i$. Note that p_i and w_i are strongly correlated ($w_i = p_i + 20$), and that the due dates d_1, \dots, d_{100} and d_{101}, \dots, d_{200} are set approximately to $1/4$ and $1/2$ of $\sum_i p_i$.

$n = 200$

$w_1, \dots, w_{200} = 92\ 68\ 26\ 48\ 44\ 105\ 70\ 62\ 113\ 36\ 51\ 59\ 102\ 120\ 114\ 69\ 33$
 $115\ 69\ 60\ 101\ 37\ 30\ 93\ 51\ 103\ 61\ 93\ 53\ 33\ 113\ 75\ 26\ 108\ 47\ 63\ 76\ 68\ 53\ 51$
 $104\ 26\ 90\ 31\ 89\ 120\ 63\ 105\ 88\ 34\ 72\ 120\ 85\ 86\ 64\ 69\ 116\ 97\ 107\ 22\ 63\ 72$
 $54\ 46\ 64\ 105\ 114\ 89\ 56\ 93\ 95\ 85\ 21\ 64\ 58\ 67\ 113\ 79\ 63\ 64\ 85\ 37\ 64\ 98\ 54$

74 73 100 94 24 88 98 110 33 55 74 47 61 48 37 34 31 109 49 72 33 103 69
 47 22 96 117 116 33 99 74 49 100 96 107 81 83 92 96 33 106 64 72 113 57
 26 83 97 50 65 50 72 40 35 76 45 32 98 101 113 90 72 60 88 22 68 100 67
 72 31 38 21 116 81 23 69 89 95 90 67 116 82 77 66 95 92 107 48 101 120 28
 49 86 24 94 95 49 112 22 117 102 113 92 83 71 69 89 94 67 62 82 72 109 111 82

$p_1, \dots, p_{200} = 72 48 6 28 24 85 50 42 93 16 31 39 82 100 94 49 13 95 49 40$
 81 17 10 73 31 83 41 73 33 13 93 55 6 88 27 43 56 48 33 31 84 6 70 11 69 100
 43 85 68 14 52 100 65 66 44 49 96 77 87 2 43 52 34 26 44 85 94 69 36 73 75
 65 1 44 38 47 93 59 43 44 65 17 44 78 34 54 53 80 74 4 68 78 90 13 35 54 27
 41 28 17 14 11 89 29 52 13 83 49 27 2 76 97 96 13 79 54 29 80 76 87 61 63
 72 76 13 86 44 52 93 37 6 63 77 30 45 30 52 20 15 56 25 12 78 81 93 70 52
 40 68 2 48 80 47 52 11 18 1 96 61 3 49 69 75 70 47 96 62 57 46 75 72 87 28
 81 100 8 29 66 4 74 75 29 92 2 97 82 93 72 63 51 49 69 74 47 42 62 52 89 91 62

$d_1, \dots, d_{100} = 2547, \quad d_{101}, \dots, d_{200} = 5094.$

REFERENCES

- [1] Graham, R. L., Lawler, E. L., Lenstra, J. K. and Rinnooy Kan, A. H. G. "Optimization and approximation in deterministic sequencing and scheduling: a survey." *Ann. Discrete Math.* 5 (1979), pp. 287-326.
- [2] Lawler, E. L. "Scheduling a single machine to minimize the number of late jobs" Report CSD-83-139, EECS Department, University of California, Berkeley, 1983. Available from <http://techreports.lib.berkeley.edu>.
- [3] Karp, R. M. "Reducibility among Combinatorial Problems", in *Complexity of Computations*, R.E. Miller and J.W. Thatcher (Eds.), *Plenum Press, New York*, pp. 85-103, 1972.
- [4] Martello, S., Toth P. "An exact algorithm for the two-constraint 0 - 1 knapsack problem", *Operations Research*, **51**, pp. 826-835, 2003.
- [5] Moore, J. M "An n job, one machine sequencing algorithm for minimizing the number of late jobs", *Management Science*, **15**, pp. 102-109, 1968.
- [6] Lenstra, J. K and Rinnooy Kan, A.H.G. and Brucker, P. "Complexity of machine scheduling problems", *Annals of Discrete Mathematics*, **1**, pp. 343-362, 1977.
- [7] Potts, C. N. and Van Wassenhove, L. M "Algorithms for scheduling a single machine to minimize the weighted number of late jobs", *Management Science*, **34**, 7, pp. 843-858, 1988.
- [8] Hariri, A. M. A. and Potts, C. N. "Single machine scheduling with deadlines to minimize the weighted number of tardy jobs" *Management Science*, **40**, 12, pp. 1712-1719, 1994.
- [9] Baptiste, Ph. Le Pape, C. and PÉridy, L. "Global Constraints for Partial CSPs: A Case-Study of Resource and Due Date Constraint" *LNCS (Proc. of CP)*, **1520**, pp. 87-101, 1998.
- [10] M'Hallah, R. and Bulfin, R. L. "Minimizing the weighted number of tardy jobs on a single machine", *European Journal of Operational Research*, **145**, 1, pp. 45-56, 2003.
- [11] Dautère-Pérès, S. and Sevaux, M. "Using Lagrangean Relaxation to Minimize the Weighted Number of Late Jobs on a Single Machine", *Naval Research Logistics*, **50**, pp. 273-288, 2003.
- [12] Dautère-Pérès, S. and Sevaux, M. "An exact method to minimize the number of tardy jobs in single machine scheduling", *Journal of Scheduling*, **7**, pp. 405-420, 2004.
- [13] M'Hallah, R. and Bulfin, R. L. "Minimizing the weighted number of tardy jobs on a single machine with release dates", *European Journal of Operational Research*, **176**, pp. 727-744, 2007.

- [14] Linderoth, J. T. and Savelsbergh, M. W. P. “A computational study of search strategies for mixed integer programming”, *INFORMS Journal on Computing*, **11**, 2, pp. 173–187, 1999.
- [15] T'kindt, V. and Della Croce, F. and Bouquard, J.-L. “Enumeration of Pareto optima for a flowshop scheduling problem with two criteria”, *INFORMS Journal on Computing*, **19**, 1, pp. 64–72, 2007.

CPU Time (s)		
n	avg	max
1000	7.2	21.3
2000	44.8	170.9
3000	135.3	577.2
4000	289.7	1278.5

TABLE 1. Performances of model (1)–(3).

n	CPU Time (s)		NODES		UB-GAP%		LB-GAP%	
	avg	max	avg	max	avg	max	avg	max
1000	0.9	4.7	1.0	1	0.008	0.084	0.001	0.037
2000	2.2	22.6	1.0	1	0.003	0.041	0.001	0.042
3000	3.6	12.4	1.0	1	0.002	0.026	$< 10^{-3}$	0.016
4000	5.9	20.6	1.0	1	0.002	0.027	$< 10^{-3}$	0.009
5000	8.4	42.2	1.0	1	0.001	0.013	$< 10^{-3}$	0.006
6000	12.6	71.6	1.0	1	0.001	0.013	$< 10^{-3}$	0.011
7000	16.4	116.2	1.0	1	0.001	0.011	$< 10^{-3}$	0.007
8000	20.2	65.3	1.0	1	0.001	0.010	$< 10^{-3}$	0.003
9000	26.5	238.4	1.0	1	0.001	0.007	$< 10^{-3}$	0.006
10000	32.1	197.2	1.0	3	0.001	0.007	$< 10^{-3}$	0.007
15000	79.5	1858.2	1.2	21	$< 10^{-3}$	0.005	$< 10^{-3}$	0.008
20000	139.0	2957.9	1.5	55	$< 10^{-3}$	0.004	$< 10^{-3}$	0.004
25000	204.5	3981.7	1.8	57	$< 10^{-3}$	0.003	$< 10^{-3}$	0.001
30000	274.8	3491.1	2.1	81	$< 10^{-3}$	0.002	$< 10^{-3}$	0.001

TABLE 2. Performances of the enumerative algorithm.

u	v	Red. probl. size		CPU Time (s)		NODES		UB-GAP%		LB-GAP%	
		avg	max	avg	max	avg	max	avg	max	avg	max
0.1	0.3	3486.2	10406	420.3	1644.5	6.3	81	0.001	0.002	$< 10^{-3}$	0.001
0.1	0.5	4974.4	10883	581.2	3491.1	6.3	47	0.001	0.001	$< 10^{-3}$	0.001
0.1	0.7	2620.6	5643	262.7	416.8	1.0	1	$< 10^{-3}$	0.001	$< 10^{-3}$	0.001
0.1	0.9	876.7	4452	225.9	272.8	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.3	0.5	1596.8	10047	263.0	335.8	1.1	3	$< 10^{-3}$	0.001	$< 10^{-3}$	0.001
0.3	0.7	1352.8	7538	239.3	278.9	1.0	1	$< 10^{-3}$	0.001	$< 10^{-3}$	0.001
0.3	0.9	254.6	654	205.4	276.8	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.5	0.7	163.8	373	203.3	222.8	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.5	0.9	310.4	500	181.9	214.9	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.7	0.9	233.6	546	165.1	185.7	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$

TABLE 3. Enumerative algorithm: detail of performances for the case $n = 30,000$.

n	CPU Time (s)		NODES		UB-GAP%		LB-GAP%	
	avg	max	avg	max	avg	max	avg	max
1000	0.6	4.1	1.0	1	0.003	0.069	0.001	0.037
2000	1.2	4.5	1.0	1	0.001	0.028	$< 10^{-3}$	0.008
3000	2.0	5.8	1.0	1	0.001	0.022	$< 10^{-3}$	0.005
4000	3.3	8.8	1.0	1	0.001	0.022	$< 10^{-3}$	0.005
5000	4.9	11.1	1.0	1	$< 10^{-3}$	0.009	$< 10^{-3}$	0.004
10000	19.3	211.7	1.0	1	$< 10^{-3}$	0.005	$< 10^{-3}$	0.007
15000	37.3	84.4	1.0	1	$< 10^{-3}$	0.003	$< 10^{-3}$	0.001
20000	61.2	233.3	1.0	7	$< 10^{-3}$	0.003	$< 10^{-3}$	0.005
25000	93.9	459.7	1.1	11	$< 10^{-3}$	0.002	$< 10^{-3}$	0.003
30000	128.4	193.8	1.0	1	$< 10^{-3}$	0.001	$< 10^{-3}$	0.001
35000	177.1	1671.6	1.4	59	$< 10^{-3}$	0.001	$< 10^{-3}$	0.002
40000	215.6	966.0	1.2	43	$< 10^{-3}$	0.002	$< 10^{-3}$	0.001
45000	281.1	537.0	1.0	7	$< 10^{-3}$	0.001	$< 10^{-3}$	0.002
50000	315.3	736.0	1.2	17	$< 10^{-3}$	0.002	$< 10^{-3}$	0.001

TABLE 4. Performances of the enumerative algorithm on instances of the deadline-free $1 \mid \mid \sum w_i U_i$ problem.

u	v	Red. probl. size		CPU Time (s)		Nodes		UB-GAP%		LB-GAP%	
		avg	max	avg	max	avg	max	avg	max	avg	max
0.1	0.3	3460.9	9027	1077.3	10094.7	35.4	293	0.002	0.009	0.001	0.005
0.1	0.5	2949.9	7689	501.2	3775.9	10.2	137	0.001	0.002	0.001	0.004
0.1	0.7	1685.0	4935	95.5	276.3	1.0	1	$< 10^{-3}$	0.002	$< 10^{-3}$	0.001
0.1	0.9	495.1	1182	41.1	76.6	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.3	0.5	1106.4	5335	47.3	99.3	1.0	1	$< 10^{-3}$	0.002	$< 10^{-3}$	$< 10^{-3}$
0.3	0.7	926.1	7120	41.4	70.1	1.1	3	$< 10^{-3}$	0.003	$< 10^{-3}$	$< 10^{-3}$
0.3	0.9	306.1	627	32.2	38.0	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.5	0.7	608.9	2575	31.9	37.8	1.0	1	$< 10^{-3}$	0.001	$< 10^{-3}$	$< 10^{-3}$
0.5	0.9	355.1	717	27.9	32.3	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
0.7	0.9	407.6	822	23.3	25.0	1.0	1	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$	$< 10^{-3}$
Overall		1230.1	9027	191.9	10094.7	5.4	293	$< 10^{-3}$	0.009	$< 10^{-3}$	0.005

TABLE 5. Weakly correlated instances, $n = 10,000$.

CNRS LIX, ECOLE POLYTECHNIQUE, FRANCE
E-mail address: philippe.baptiste@polytechnique.fr

D.A.I., POLITECNICO DI TORINO, ITALY
E-mail address: federico.dellacroce@polito.it

D.I., UNIVERSITÀ DI TORINO, ITALY
E-mail address: grosso@di.unito.it

LABORATORY OF COMPUTER SCIENCE, UNIVERSITY OF TOURS, FRANCE
E-mail address: tkindt@univ-tours